



Enabling Picklist Values

NOTE: Organizations using Salesforce Professional Edition, may encounter the following error when attempting to access Picklist values. This is because of an api used by Strategy Mapper is not included in Professional edition. Please go to Appendix 1 for the “work around” to configure the Picklist values.

“Web service callout failed: Webservice returned a SOAP Fault: API_DISABLED_FOR_ORG: API is not enabled for this Organization or Partner faultcode=sf:API_DISABLED_FOR_ORG faultactor= Error is in expression '{!init}' in page meetingmapper:addpicklistvalues: (MeetingMapper)”

1. In All Tabs -> click on Add Picklist Values -> the initial time you launch Picklist Values the following error is displayed (**Figure 1**).



Figure 1

2. Copy the text highlighted in blue (**Figure 2**).




Figure 2

3. Click on Setup -> Administer-> expand Security Controls -> click Remote Site Settings (**Figure 3**).




Figure 3

4. Click New Remote Site (**Figure 4**).





Figure 4

5. Enter in the following (**Figure 5**):

- a. Remote Site Name
- b. Paste the URL string into Remote Site URL

Enabling Picklist Values

- c. Add a Description
- d. Click Save.



Remote Site Edit

Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy calls can access this Web address from salesforce.com

Remote Site Edit Save Save & New Cancel

Remote Site Name Add_Picklist_Values_Strategy_Mapper

Remote Site URL https://aprilism--meetingmapper.na30.visual.force.com/services/Soap/m/33.0

Disable Protocol Security i

Description Add, delete, modify pickles values for Strategy Mapper. |

Active

Save Save & New Cancel

Figure 5